SPONSORED BY: FINANCE AUTHORIZED BY: ALL MEMBERS	DRAFT NO. 61-24
ORDINANCE NO	
AN ORDINANCE APPROVING A THEN AND NOW PASYSTEMS LIMITED LIABILITY COMPANY FOR REPAPUMP; AND DECLARING AN EMERGENCY	YMENT REQUEST TO PUMP IR OF HAYWARD GORDON
WHEREAS, the Hayward Gordon Pump was in need of	emergency repair;
WHEREAS, the invoice for the parts and labor is due an	d payable;
WHEREAS, Council desires to authorize payment to Company for \$9,341.40. See Exhibit A attached hereto.	Pump Systems Limited Liability
NOW, THEREFORE, BE IT ORDAINED BY THE COUNC STATE OF OHIO:	CIL OF THE CITY OF NILES,
SECTION 1: Council hereby authorizes payment to F Company for \$9,341.40.	Pump Systems Limited Liability
SECTION 2: This Ordinance is declared to be an emerge public health, safety and welfare as the invoice for Pump System due and payable. As such an emergency measure, this Ordinan by Council and approval by the Mayor.	ms Limited Liability Company is
PRESIDEN	T OF COUNCIL
PASSED:	
ATTEST:CLERK OF COUNCIL	
Filed with the Mayor of the City of Niles, Ohio on the, 2024 and signed by me as such Mayo, 2024.	day of or on this day of

MAYOR



2246 Port Centre Medina OH 44256 United States (234) 312-3511

Bill To

City of Niles Office of the City Auditor 34 West State Street Niles OH 44446 **United States**

Prepared For: Paul Joseph

Quotation

Date **Expires:** 04/09/2024 05/09/2024

Quote # Sales Rep: 68581

Starkey, Kevin kstarkey@pumpsystemsllc.com (330) 690-3742

Project Title: Repair of Hayward Gordon pump

Ship To

City of Niles 999 Summit Ave Niles OH 4446 United States

Quantity	Description
	Quote for repair of Hayward Gordon Pump
	The lower bearing had failed also causing seals to fail.
1	Labor Charge
1	1-54099210MECH SEAL 3" T21 1-54099204MECH SEAL 2-3/4"T21 1-50149613BEARING - TOP 1-50149614BEARING - BOTTOM
16	Woco Premium 100 transformer oil
1	Misc Shop Supplies for Services

	Subtotal Shipping (Best Way) Total	9,216.40 125.00 \$9,341.40
Quote Acceptance:		,
Signing this proposal in the space below constitutes your order and Please furnish us a confirming purchase order at your earliest convergence.	/enience.	herein.
Company Name:	Printed Name:	
Signature:	Date:	
PO#:		

CITY OF NILES, OHIO

SPONSORED BY: COUNCIL AS A WHOLE AUTHORIZED BY: ALL MEMBERS

DRAFT NO. 62-24

ORDINANCE NO.	

AN ORDINANCE ACCEPTING THE ANNEXATION OF 31.38 ACRES OF CERTAIN PROPERTY IN HOWLAND AND VIENNA TOWNSHIPS TO THE CITY OF NILES; AND DECLARING AN EMERGENCY

WHEREAS, Jeffrey W. Heston, Mary Ann Heston, and Bagnoli Iprino LLC petitioned for Type I annexation of 11.216 acres situated in Vienna Township and 20.164 acres situated in Howland Township to the City of Niles was approved by the Board of County Commissioners and received by the City of Niles on February 7, 2024. See Exhibit A attached hereto.

WHEREAS, on February 07, 2024, pursuant to Ohio Revised Code 709.033 (C), the resolution granting the annexation petition was received by the auditor for the City of Niles. (The resolution is on file with the Clerk of Council).

WHEREAS, the resolution has been on file with the Clerk of Council for at least 60 days from the date of delivery pursuant to ORC 709.033(C).

WHEREAS, Council desires to accept the proposed annexation.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF NILES, STATE OF OHIO:

SECTION 1: The proposed annexation as applied for in the petition filed by Jeffrey W. Heston, Mary Ann Heston, and Bagnoli Iprino LLC, and approved for annexation to the City of Niles by the Board of County Commissioners on February 7, 2024, is hereby approved by Niles City Council. The certified record of the proceedings for annexation, with an accurate map of the territory, together with the petition for annexation and other papers relating to the proceedings of the County Commissioners, are on file with the Auditor of this City and have been for more than sixty days.

SECTION 2: The City Auditor is directed to make three copies of this Ordinance, to each of which shall be attached a copy of the map accompanying the petition for annexation, a copy of any transcript of proceedings of the Board of County commissioners relating thereto, and a certificate as to the correctness thereof. The Auditor shall then forthwith deliver one copy to the County Auditor, one copy to the County Recorder and one copy to the Secretary of State, and shall file notice of this annexation with the Board of Elections within thirty (30) days after it becomes effective, and the Auditor shall do all other things required by law.

SECTION 3: This Ordinance is hereby declared to be an emergency measure in the interests of the public health, safety, and welfare, for the reason that this annexation needs to be finalized within 120 days of receipt pursuant. As such an emergency measure, this Ordinance shall become effective upon passage by Council and approval by the Mayor.

PASSED:	PRESIDENT OF COUNCIL
ATTEST:CLERK OF COUNCIL	
Filed with the Mayor of the City of Nile, 2024 and signed by, 2024.	es, Ohio on the day of me as such Mayor on this day of
	MANOR

EXHIBIT A

PARCELS TO BE ANNEXED

Parcel	2

28-429451

28-901787

28-901667

28-901788

28-018325

16-007835

16-007830

SPONSORED BY: FINANCE	
AUTHORIZED BY: ALL MEMBER	S

DRAFT NO. 63-24

ORDINANCE NO.	
---------------	--

AN ORDINANCE AUTHORIZING MONTHLY CASH TRANSFERS; AND, DECLARING AN EMERGENCY

BE IT ORDAINED BY THE COUNCIL OF THE CITY OF NILES, STATE OF OHIO:

SECTION 1: Authorizing the cash transfer of One Million Three Hundred Thousand Dollars and 00/100 (\$1,300,000.00) from the General Fund Account No: 101-1090-59000 to the following Funds:

	Cash Transfers		
	From General Fund TRANSFER Account 101-1	.090-59000 To:	
Fund 215	Police Pension	\$75,000.00	
Fund 216	Fire Pension	\$75,000.00	
Fund 217	Police & Fire 1%	\$1,000,000.00	
Fund 221	Park	\$100,000.00	
Fund 255	Cemetery	\$50,000.00	
	TOTAL CASH TRANSFER	\$1,300,000.00	


SECTION 2: This Ordinance is hereby declared to be an emergency measure in the interest of the public health, safety, and welfare for the reason that these funds are to be transferred on a regular basis. As such an emergency measure, this Ordinance shall take effect immediately upon passage by Council and approval by the Mayor.

	PRESIDENT OF COUNCIL
PASSED:	
ATTEST:	
CLERK OF COUNCIL	
	of Niles, Ohio on the day of ned by me as such Mayor on this
day of, 2024.	
	MAYOR

SPONSORED BY: FINANCE AUTHORIZED BY: ALL MEMBERS	DRAFT NO. 64-24
ORDINANCE NO	
AN ORDINANCE APPROVING A THEN AND NOW PAYN LAND SERVICES, INC. FOR REPAIR OF MANHOLE IN AR DECLARING AN EMERGENCY	
WHEREAS, an emergency repair was needed for a man	hole cover;
WHEREAS, the invoice for the supplies is due and paya	able;
WHEREAS, Council desires to authorize payment to \$4,252.00. See Exhibit A attached hereto.	Pollard Land Services, Inc. for
NOW, THEREFORE, BE IT ORDAINED BY THE COUNSTATE OF OHIO:	CIL OF THE CITY OF NILES
SECTION 1: Council hereby authorizes payment to \$4,252.00.	Pollard Land Services, Inc. for
SECTION 2: This Ordinance is declared to be an emerge public health, safety and welfare as the invoice for Pollard Land As such an emergency measure, this Ordinance shall take effect approval by the Mayor.	Services, Inc. is due and payable
PRESIDEN	NT OF COUNCIL
PASSED:	
ATTEST:CLERK OF COUNCIL	
Filed with the Mayor of the City of Niles, Ohio on the, 2024 and signed by me as such May, 2024.	

MAYOR

Invoice



Date		Invoice #
3/31/20	24	2053
	Custo	omer Phone
	330	-544-9000

Bill To

CITY OF NILES 34 WEST STATE STREET NILES, OH 44446

Terms Job Number

Description	Quantity	UOM	Price	Amount
EPAIR MANHOLE IN AREA OF SUMMIT STREET BETWEEN MAHONING IVER AND RR TRACKS XCAVATE AROUND RISERS AND CONE WHICH WERE KNOCKED OFF THE ASE BY THE UPROOTED TREE. RESET RISERS AND CONE ONTO EXISTING ASE AND SEALED WITH HYDRAULIC CEMENT. BACKFILLED, SEEDED, ND MULCHED. ABOR AND EQUIPMENT YDRAULIC CEMENT EED AND STRAW MULCH	1 6	LS BUCKETS LS	3,850.00 42.00 150.00	3,850.00 252.00 150.00
	Tota			252.00

Make checks payable to POLLARD LAND SERVICES, INC.

Phone #	Fax #	E-mail	PA Contractor #
4-474-1107	814-217-6690	PLS@VELOCITY.NET	PA 023110

Appendix A

•	E	nergency Expen	se Approva	,	4200	166667. 22
Date: 4-9-	24				ì	
Vendor: Pollo	ad Land	Service				
Dollar Amount: #	4,252.0					
Reason for Expense:						
		PRIRACI	C DF SU	mmital	BIL	cev 1
In Pinels	ise by A	N UPRODIC	dTRee	THE ANEL	Comer	Wackey
						-
Approval:						An Annual Control
Day	2.				\$	
Departmental Supervis	or				5	
5						
Service/Safety Director	1	· ·				

^{*}This form must be submitted along with original receipt and Purchase Order if applicable for payment

DRAFT NO. 65-24

SPONSORED BY: FINANCE	
AUTHORIZED BY: ALL MEMBERS	

	RESOL	LUTION	NO.		
--	-------	--------	-----	--	--

A RESOLUTION AUTHORIZING THE CITY OF NILES TO ACCEPT THE 2024 PEP PLUS GRANT; APPROPRIATING THE FUNDS; AND, DECLARING AN EMERGENCY

WHEREAS, funds are available through the 2024 PEP PLUS Grant for the purpose of reducing the total number of traffic and road-related accidents and injuries, and

WHEREAS, said grant was awarded in the amount of Nine Hundred Eighty Dollars and 00/100 (\$980.00), and

WHEREAS, Council desires to accept the 2024 PEP + Grant and appropriate the funds to the necessary account in order to purchase the supplies.

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF NILES, STATE OF OHIO:

SECTION 1: Council is hereby accepting grant funding through the 2024 PEP PLUS Grant, for the purpose of reducing the total number of traffic and road-related accidents and injuries.

SECTION 2: Council authorizes appropriation from the Unappropriated Street Fund 223 to the Operational Supplies account 223-2323-54300 in the total amount of Nine Hundred Eighty Dollars and 00/100 cent (\$980.00):

APPROPRIATION FROM UNAPPROPRIATED FUNDS					
ACCOUNT					
FUND	Appropriation				
223 - Street	223-2323-54300	223-2323-54300 Operational Supplies			
	\$980.00				

SECTION 3: This Resolution is declared an emergency measure in the interest of public health, safety and welfare, and to allow the acceptance of the grant money from the 2024 PEP PLUS Grant. As such an emergency measure, this Resolution shall take effect upon passage by Council and approval by the Mayor.

		PRESIDENT OF COUNC	CIL
PASSED:			
ATTEST:	CLERK	OF COUNCIL	
	CELICIC	of Cooncil	
Filed	with the	Mayor of the City of Niles, Ohio on the, 2024 and signed by me as such Mayor on this, 2024.	day of day of
		MAYOR	

SPONSORED BY: FINANCE AUTHORIZED BY: ALL MEMBERS **DRAFT NO. 66-24**

AN ORDINANCE AUTHORIZING THE PURCHASE OF 2025 HV507 SFA CHASSIS THROUGH THE OHIO DEPARTMENT OF TRANSPORTATION COOPERATIVE PURCHASING PROGRAM; AUTHORIZING THE PURCHASE OF 2024 SINGLE AXLE SNOW & ICE CONTROL TRUCK EQUIPMENT THROUGH SOURCEWELL COOPERATIVE PURCHASING; THE APPROPRIATION OF THE NECESSARY FUNDS; AND, DECLARING AN EMERGENCY

BE IT ORDAINED BY THE COUNCIL OF THE CITY OF NILES, STATE OF OHIO:

SECTION 1: Council hereby authorizes the purchase of a 2025 HV507 SFA chassis through the ODOT COOP for the 2024 calendar year or otherwise as permitted by law. See Exhibit A attached hereto.

SECTION 2: Council hereby authorizes the purchase through Sourcewell Cooperative Purchasing of a 2024 Single Axle Snow & Ice Control Truck Equipment Package. See Exhibit A attached hereto.

SECTION 3: Council hereby authorizes the following appropriations of funds from the unappropriated General Fund Account 101 to the General Fund Miscellaneous Account and to the Equipment Purchases Account for the purchase of 2025 HV507 SFA Chassis and 2024 Single Axle Snow & Ice Control Truck Equipment:

APPROPRIATION FROM UNAPPROPRIATED FUNDS					
FUND	ACCOUNT NUMBER	DESCRIPTION	Appropriation		
101 - General Fund	\$245,804.00				
	\$245,804.00				

SECTION 4: This Ordinance is hereby declared to be an emergency measure in the interest of the public health, safety, and welfare, for the reason that the street truck can be purchased at the earliest possible date. As such an emergency measure, this Ordinance shall take effect upon passage by Council and approval by the Mayor.

			PRESIDENT OF COUNCIL	
PASSED: _				
ATTEST: _	CI I	TO TO	OF GOVERNMENT	
	CLE	RK	OF COUNCIL	
Filed	l with	the	Mayor of the City of Niles, Ohio on the day of, 2024 and signed by me as such Mayor this day of, 2024.	
			MANOD	



PRODUCTS, INC.

CUSTOMER QUOTE

Page 1

Quote #172186

Rev #59

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

> Quoted By: Ross Repp Phone: 419-617-7509 Cell: 4195696166

Fax:

Email: rrepp@hendersonproducts.com

To: CITY OF NILES, OH
Attn: Robert Ward
Quote Date: 3/13/2024
Valid Until: 5/12/2024
NPPGov Contract# PS22170
NPPGov #: M-5728058

Ouoted:

2024 SINGLE AXLE SNOW & ICE CONTROL TRUCK EQUIPMENT PACKAGE

Henderson Products is pleased to present the following quote. Please contact us if you have any questions.

Reversible snow plow

Plow Length: 10' length

Moldboard Trip: Adjustable cutting edge trip - torsion spring

Pushframe Type: Full Width Push Frame with top mount cylinders, HD angle

Moldboard Height: 42" height
Moldboard Shield: Integral shield

Moldboard Sheet Material: 10 GA GR50 steel (standard)

Mailbox Cut/Mouse Ear: Mailbox cutout on right side of moldboard Adjustable Trip Spring: Adjustable cutting edge trip springs Hydraulic Cylinders: 4" x 2" x 10" reversing nitrided cylinders

Paint: Henderson Orange

12" Rubber Deflector: Yes, w/ SS Backer

Install Rubber Deflector: Yes 36" Plastic Side Markers, Pair: Yes Parking Jack, Screw Adjustable: Yes

Install Parking Jack: Yes

Hitch, Plow Portion: Pin and loop oscillating hitch

Plow Portion Installed on Plow: Yes

Snow Plow Hitch

Reversing Cylinder Style: None or Top mount reversing cylinders
Plow Portion Hitch: Plow portion picked under plow
Hitch, Truck Portion: Pin & loop hitch, low profile
Hydraulic Lift Cylinder: 4" x 2" x 10" Double Acting Nitrided Lift Cylinder
Custom Options: Note Custom Details Below
Option 1 Description: OHIO HCH PIN & LOOP WITH 4X2 LIFT CYLINDER 156042

HPI MarkE

COUNTRY/LANGUAGE: USA/ENGLISH

FAMILY: MARK E, CLASSIC

FLOOR LENGTH: 10' FLOOR LENGTH SIDE HEIGHT: 36" SIDE HEIGHT









PRODUCTS, INC.

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509

FAX: 563-927-7106

CUSTOMER QUOTE

Page 2 Quote #172186 Rev #59

BODY MATERIAL (SIDES/HEADSHEET): 10GA 201SS SIDES/HEADSHEET

SIDE BRACES: (2) 10GA 201SS WELD ON SIDE BRACE

TOP RAIL/RUB RAIL MATERIAL: 10GA 201SS TOP & RUB RAILS

REAR BOLSTER HEIGHT: 8" BOLSTER, 2-1/8" POCKETS

REAR BOLSTER MATERIAL: 7GA 201SS REAR BOLSTERS

FRONT BOLSTER: FRONT BOLSTERS, 10GA FLOOR MATERIAL: 1/4" AR400 FLOOR

HOIST TYPE: TRN MT HOIST, INT DH, SUBFRM, DA

CYLINDER MODEL: CS/G4, DBL ACT, 2YR SALT WTY*

HOIST MOUNT TYPE: STANDARD SUBFRAME

LONGSILLS: 5" I-BEAM LONGSILLS, FULL WELD

BODY HINGE MAINTENANCE: GREASEABLE PINS, NO BUSHINGS

TAILGATE STYLE: CONFIGURABLE STANDARD TAILGATE

TAILGATE SHEET MATERIAL: 10GA 201SS TAILGATE SHEET

TAILGATE BRACE: 1 HORIZONTAL TAILGATE BRACE

TAILGATE LIFT STYLE/LOCATION: FORMED LIFT LOOP, TOP BRACE

TAILGATE RELEASE & CONTROL: DOUBLE ACTING, SS BUSHING, TG RELEASE

TAILGATE HINGE: STD, 1-1/4" PIN, 1" PLT

TAILGATE CHAINS: ZINC TAILGATE CHAINS

BOLSTER CHAIN HOOKS: BANJO CHAIN HOOKS INSTALLED

LUBRICATION: GREASEABLE PINS, JAWS, & SHAFT

CABSHIELD STYLE/WIDTH/OVERHANG: WELD-ON, 22"x86", NO TARP SHROUD

CABSHIELD MATERIAL: 201SS, 10GA PANEL, 7GA ENDS

CABSHIELD LIGHTING: CS LIGHTS, 2 FORWARD, 1 EACH SIDE, 2 REAR

SIDE LADDER LOCATION: LADDER/GRBHND, DS FRNT, SL

SIDE LADDER TYPE: LADDER, PULLOUT 201SS, NO UPR

REAR BOLSTER MARKER LIGHTING: 2.5" RED REAR BLSTR LIGHT

REAR FACING REAR BOLSTER LIGHT: 3 OBROUND LIGHT

WALK RAILS: 2" DRVR & CURB WALK RAIL

VIBRATOR LOCATION: VIBRATOR PAD FRNT CURB CORNER

FINISH PREP: WASH & PRIME MILD PARTS ONLY

NOTE 1:: ADDITIONAL CUSTOM OPTION

CUSTOM OFFERING: ADD 1/2in. SS TUBE FOR DA CYLINDER ON INSIDE D/S LONGSILL

TGS salt / sand spreader

TROUGH MATERIAL: 201SS

AUGER SIZE AND TYPE: 6" dia. auger, direct drive MOUNTING BRACKETS: Standard Mount Kit 96" Width

Installation Workup

Facility: IDC-OH

Chassis Delivery To Henderson: Henderson Picks Up (100 miles or less)
Completed Truck Delivery Method: Henderson Delivers (100 miles or less)

Chassis Make: International Chassis Model Yr: 2024/25









PRODUCTS, INC.

Page 3 Quote #172186 Rev #59

CUSTOMER QUOTE

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509

FAX: 563-927-7106

Chassis Model: HV507 Useable CA/CT: 88 Front Frame Ext?: Yes Frnt Frame Ext Type: Full Front Frame Wall: Single Wall

Front Frame Width: 34"

Pump Location: Transmission Mount Pump

Transmission Type: Automatic

Transmission Model: Allison Transmission

Hitch Type: Low Profile or Manual Tilt Type Hitch

Mount Type: Engineered Truck Hitch (sales to order hitch w/ unit)

Mount Spec: 183789 KIT, HITCH, INTL, HV507, NO FFE

Front Bumper: OEM Bumper Cut and Split

Front Plow Type: Standard Henderson Plow

Plow Markers (Front Plow): IDC Install of fact supplied markers, sales to order

w/ unit

Rubber Deflector Install: Supplied/Installed @ Factory, sales to order w/ unit Plow Jack Install: Supl'd/Instl'd on plow @ Factory, Sales order with unit

Dump Body Type: Mark E Single Axle Floor Length: (10') Floor length

Hoist Type: Tele Trun HoIst with Subframe, Internal Doghouse

Cylinder Type: Double Acting

Body Material (Sides/ends): Stainless Steel Type Body Material Tailgate Release Type: IDC Supplied manual air over air valve

Pressure Protection Valve: Direct to air tank valve (Int, Mack & Volvo)

Cabshield Install: Supl'd by fact, welded to body @ IDC, sales to order w/ unit

Step(s): Supplied and install @ IDC (select from step options below)

Step QTY: 2

Step 1 Type: SS Serrated 18" Step (Rub Rail/Side Brace)

Step 1 Location: Driver Side Front, outside

Step 2 Type: SS Serrated 18" Step (Rub Rail/Side Brace)

Step 2 Location: Driver Side Front, outside

Grab Handle(s): (2) IDC supplied/installed grab handles (select type below)

Grab Handle 1 Type: SS 17" grab handle Grab Handle 2 Type: SS 17" grab handle

Ladder(s): Supplied by factory, Install @ IDC (sales to order w/ unit)

Ladder Install QTY (Dump): (1) LADDER INSTALLED @ IDC (LABOR ONLY)

Ladder Install Style (Dump) 1: 3 Step Pull Out Ladder Install Loc 1 (Dump): Driver Side Front

Shovel Holder: (1) IDC Supl'd Spring Loaded SS Shovel Holder w/ SS brckt

Shovel Holder Loc (1): Driver side body

Vibrator: Vibco - Dump Body Vibrator & bracket (order vib pad w unit)

Sideboards: Wood (Un-Painted), supplied/installed by IDC

Sideboard Notes:









CUSTOMER QUOTE

Page 4

PRODUCTS, INC.

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

Body Spec Notes:

Spreader Type: TGS

TGS Drive Type: Hydraulic Drive

TGS Spinner Configuration: Single Spinner Install TGS Body Type: Standard straight gate body install

TGS mounting type: STD TGS brackets (supplied with unit)

HYD QD Mount Brackets: Stainless Steel QD Mount in front of dump body bolster

Chassis Accessories: Yes (SELECT RELATED OPTIONS BELOW)

Mudflaps (Rear): Swinging w/Logo

Mudflap Type (Rear): 36" Swinging, SS (with LOGO)

Fenders: Poly fenders, Full Pair, single axle, SS mount

Pintle Plate: Yes (select from options below)

Pintle Plate Configuration: 3/4" Plate, PH20/45 Holes, SA w/ SubFrm (3LTC)

Pintle Plate D-Rings: Qty (2) 1" D-rings, 50 deg bend

Pintle Hook: 20 Ton

Trailer Plug (1): 7 Pin Trailer Plug, Round, Alum

Truck Wash: Complete Truck Wash/Clean/Vac 1

Warranty: Standard 1 Year Warranty
Inspection: Walk-around meeting only

Reflective Tape: Reflective Tape, Henderson Logo (60' Linear)

Electrical: Yes (SELECT RELATED OPTIONS BELOW)

Power Distribution Panel: Power Distribution Panel

Plow Lights: Plow Lts, LED, Heated, Tlite, Round, Pair

Plow Light Brackets: Plow Lt Brckts, SS, Mnt to Fact Hood Mnt Mirror, INTL, Pair

Worklight(s) QTY: (QTY 1) Work Light (Select type below) Worklight (1) Type: LED, Worklight, 4in Round (Optilux)

Worklight (1) Gen Location: On rear of body

Cabshield Warning Light Qty: Qty 6 Lights (Order Holes with Unit)

Cabshield Warning Lights: QTY 3 6" LED Ovl Strobe Green/Qty 3 LED Ovl Strobe
Amber

Cabshield Lighting Harness: Cabshield Warning Lights Only (qty 2-6)

Rear Dump Bolster (S/T/T): LED S/T/T, kit (OH) (order holes)

OEM Light Remount: Remount OEM Chassis Lights

Rear Dump Bolster (Back-up): B/U Lights, LED, Clear, Oval, pair (Order holes with body)

Rear Dump Bolster Strobes: 6" LED Oval Strobes, 1 Amber, 1 Green (order holes w/unit)

Back up alarm: Backup Alarm, 97db

Body up switch/light: Supplied with Hydraulics, IDC install









PRODUCTS, INC.

CUSTOMER QUOTE
Page 5
Quote #172186
Rev #59

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

Brake controller: Brake Controller, Voyager Brake Controller

Backbone & Wire Standoffs: 10' Backbone (For SA) Camera: Included in Hydraulics Pkg (quote w/ Hyd) Camera Kit: 1 camera supplied with hydraulics

Electrical Install Opt 1: TIR 3 Amber/Green Strobe Light Mounted Under Plow

Lights

Electrical Install Opt 2: (1)163534, (1)160463, (2) 144165.201

Electrical Install Opt 3: All Lights Operated With Dash Switches Provided on

Chassis

Electrical Spec Notes:

Hydraulics: Full Hydraulic Package

Hyd Supplier: Certified (Select Pkg Below)
Hyd Supplier (Spec): Certified Power B Package

Controls Type: Air Controls

PTO Type: Included in Hydraulics Package
Reservoir Type: Supplied With Hydraulics
Valve Enclosure Type: Supplied With Hydraulics
Low Oil Indicator: Yes, included in Hyd Pkg
Return Filter: Provided with Hydraulics
SS Tubing Upgrade: SA,F&R lines,6'Frnt,9'Rr
Quick Coupler Upgrade: Standard Quick Couplers

Hydraulics Notes:

All Stainless Steel Quick Couplers
Stainless Steel Valve Enclosure/Oil Reservoir Combo Tank
Constant Mesh PTO
Air Lever Pedestal with Freedom 2.1 Spreader Controller
Plow Balance Valve
High Pressure Filter Kit
Disclaimer: Paint not guaranteed to match OEM chassis color

IDC Paint Location: IDC-OH

Undercoat: Undercoat (Body Underside & Chassis)

Paint Code & Color (from color charts):









PRODUCTS, INC.

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106 **CUSTOMER QUOTE**

Page 6 Quote #172186 Rev #59

Total package price: \$113,019.00

Total package w/applicable NPPGov discount: \$101,893.00

Freight: \$1,344.00 Package(s): 1 Total: \$103,237.00

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Signed:	Date:	
0191001	-	

Quote notes:








Prepared For: City of Niles Robert Ward 34 W State St. Niles, OH 44446-5036 (330)544 - 9000 Reference ID: N/A Presented By: RUSH TRUCK CENTERS Will F Parsons 11775 HIGHWAY DRIVE CINCINNATI OH 45241 -(513)372-8800

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile 2025 HV507 SFA (HV507)

AXLE CONFIG:

4X2

APPLICATION:

Front Plow with spreader

MISSION:

Requested GVWR: 39000. Calc. GVWR: 37780. Calc. GCWR: 80000

Calc. Start / Grade Ability: 31.50% / 3.58% @ 55 MPH

Calc. Geared Speed: 73.5 MPH

DIMENSION:

Wheelbase: 163.00, CA: 88.00, Axle to Frame: 61.00

ENGINE, DIESEL:

{Cummins L9 350} EPA 2024, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max)

{Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max,

On/Off Highway

CLUTCH:

Omit Item (Clutch & Control)

AXLE, FRONT NON-DRIVING:

TRANSMISSION, AUTOMATIC:

{Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity

AXLE, REAR, SINGLE:

(Meritor RS-23-161) Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential,

200 Wheel Ends Gear Ratio: 5.63

CAB:

Conventional, Day Cab

TIRE, FRONT:

(2) 12R22.5 Load Range H HSR 3 (CONTINENTAL), 484 rev/mile, 75 MPH, All-Position

TIRE, REAR: SUSPENSION, REAR, SINGLE:

(4) 11R22.5 Load Range G HDL2 DL ECO PLUS (CONTINENTAL), 491 rev/mile, 75 MPH, Drive 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs

PAINT:

Cab schematic 100WK Location 1: 9219, Winter White (Std)

Chassis schematic N/A

1

Proposal: 24878-01

<u>Vehicle Specifications</u> 2025 HV507 SFA (HV507)

April 16, 2024

Proposal: 24878-01

<u>Code</u>	<u>Description</u>	F/R Wt	Tot Wt	List
HV50700	Base Chassis, Model HV507 SFA with 163.00 Wheelbase, 88. CA, and 61.00 Axle to Frame.	(lbs) 00 5783/3857	(lbs) 9640	(US DOLLAR) \$121,554.00
1ANA	AXLE CONFIGURATION {Navistar} 4x2	66/-125	-59	\$0.00
	Notes : Pricing may change if axle configuration is changed.			
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.437" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	; 115/315	430	\$783.00
1MBP	BUMPER, FRONT Swept Back 15-Degrees, Steel, for use will Front Frame Extensions, Heavy Duty	ith 5/0	5	\$125.00
1MEJ	FRAME DIMPLE Dimple on Left and Right Top Flange of Fran Rail to Reference Rear Axle Centerline	me 0/0	0	\$26.00
1WDS	FRAME EXTENSION, FRONT Integral; 20" In Front of Grille	144/-39	105	\$590.00
1WEV	WHEELBASE RANGE 146" (370cm) Through and Including 195" (495cm)	217/-217	0	\$0.00
2ARU	AXLE, FRONT NON-DRIVING {Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity	148/0	148	\$2,200.00
3ADE	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 16,000-lb Capacity, with Shock Absorbers	44/0	44	\$350.00
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	0/0	0	\$0.00
	Includes : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Locat in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 w relay valve for 6x4/8x6			
4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck Notes : When electronic stability control is ordered with trailer connections on a 4x2 truck, please check the operator manual	2/0	2	\$542.00
	for trailer weight restrictions.			
4732	DRAIN VALVE {Berg} with Pull Chain, for Air Tank	0/0	0	\$0.00
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel Sensor/4 Modulator) Full Vehicle Wheel Control System	(4 0/0	0	\$0.00
4EBT	AIR DRYER {Bendix AD-IP} with Heater	9/18	27	\$526.00
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake	0/7	7	\$0.00

Proposal: 24878-01

Code	<u>Description</u>	F/R Wt (lbs)	Tot Wt	<u>List</u> (US DOLLAR)
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 Sqln	4/0	4	\$0.00
4GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake	1/0	1	\$0.00
4LAG	SLACK ADJUSTERS, FRONT {Gunite} Automatic	14/0	14	\$0.00
4LGG	SLACK ADJUSTERS, REAR {Gunite} Automatic	0/14	14	\$0.00
4SPA	AIR COMPRESSOR (Cummins) 18.7 CFM	0/0	0	\$0.00
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	12/9	21	\$50.00
4VKK	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Back of Cab, Perpendicular to Rail	-15/22	7	\$151.00
4WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	10/0	10	\$35.00
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes	0/10	10	\$70.00
4XDR	BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle	0/52	52	(\$1,424.00)
4XDT	BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 23,000-lb Capacity	33/0	33	(\$1,068.00)
5710	STEERING COLUMN Tilting and Telescoping	16/3	19	\$463.00
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	0/0	0	\$0.00
5PTB	STEERING GEAR (2) {Sheppard M100/M80} Dual Power	102/-6	96	\$1,159.00
6DGG	DRIVELINE SYSTEM (Dana Spicer) 1710, for 4x2/6x2	6/22	28	\$96.00
7BEU	AFTERTREATMENT COVER Aluminum	8/3	11	\$278.00
7BLW	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	122/54	176	\$2,128.00
7SCP	ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger	0/0	0	\$184.00
7WBA	TAIL PIPE (1) Turnback Type, Bright	5/4	9	\$208.00
7WBS	MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel	13/12	25	\$133.00
7WDM	EXHAUST HEIGHT 10'	14/13	27	\$0.00
7WZX	SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF	2/0	2	\$56.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0	\$0.00
	Includes : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel			

Panel to Right of Steering Wheel
: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever

<u>Vehicle Specifications</u> 2025 HV507 SFA (HV507)

April 16, 2024

Proposal: 24878-01

Code	Description	F/R Wt (lbs)	Tot Wt	<u>List</u> (US DOLLAR)
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination	(150)	(186)	(ee bell iii)
	with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever			
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered			
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense	0/0	0	\$0.00
8НАВ	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn	2/0	2	\$100.00
8НАН	ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket	0/2	2	\$363.00
8MSG	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	22/31	53	\$103.00
8NAA	TAIL LIGHT WIRING MODIFIED Includes: Wiring for Standard Lt & Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt & Rt Body Mounted Tail Lights	0/2	2	\$74.00
8RGA	2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab	2/0	2	\$211.00
8RMZ	SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars	5/3	8	\$90.00
8RPR	ANTENNA for Increased Roof Clearance Applications	1/0	1	\$0.00
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	3/0	3	\$483.00
8THB	BACK-UP ALARM Electric, 102 dBA	0/3	3	\$120.00
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	2/0	2	\$158.00
8TKK	TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch	1/0	1	\$123.00
8TPR	STOP, TURN, TAIL & B/U LIGHTS (Weldon) Multi-Function LED Lamp, Mounted Outside Rails, Includes LED License Plate Light	-3/14	11	\$178.00
8VAY	HORN, ELECTRIC Disc Style	0/0	0	\$0.00
8VUK	BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab	-46/-2	-48	\$545.00

Code	Description	F/R Wt	Tot Wt	<u>List</u> (US DOLLAR)
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	0/0	0	\$42.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	0/0	0	\$0.00
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	0/0	0	\$42.00
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn On if Windshield Wipers are Turned On	0/0	0	\$42.00
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection	8/1	9	\$193.00
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm	0/0	0	\$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0	\$0.00
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender	0/0	0	\$0.00
8XHD	BATTERY DISCONNECT SWITCH 300 Amp, Disconnects Charging Circuits, Locks with Padlock, Cab Mounted	2/0	2	\$397.00
8XHN	HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord	3/0	3	\$94.00
8XNY	HEADLIGHTS Halogen	0/0	0	\$0.00
9AAB	LOGOS EXTERIOR Model Badges	0/0	0	\$0.00
9AAE	LOGOS EXTERIOR, ENGINE Badges	0/0	0	\$0.00
9HBM	GRILLE Stationary, Chrome	0/0	0	\$0.00
9WBC	FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV	0/0	0	\$0.00
10021	CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails	0/0	0	\$500.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0	\$0.00
	Includes : PAINT SCHEMATIC ID LETTERS "WK"			
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0	\$0.00
10AGB	COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	1/0	1	\$0.00
10SLV	PROMOTIONAL PACKAGE Government Silver Package	0/0	0	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	0/0	0	\$0.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	0/0	0	\$0.00
12849	BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines	3/0	3	\$98.00
	<u>Includes</u>			

INTERNATIONAL®

<u>Code</u>	Description	F/R Wt	Tot Wt	<u>List</u> (US DOLLAR)
	: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	(lbs)	(105)	(OS DOLLAR)
12EYY	ENGINE, DIESEL {Cummins L9 350} EPA 2024, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max)	559/5	564	\$9,716.00
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed	0/0	0	\$0.00
	Includes : FAN Nylon			
12UWY	RADIATOR Aluminum, Cross Flow, Front to Back System, 1228 Sqln, with 1167 Sqln Charge Air Cooler	0/0	0	\$0.00
	Includes : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber			
12VAG	AIR CLEANER Single Element, with Integral Snow Valve and In- Cab Control	2/0	2	\$352.00
12VJS	EMISSION, CALENDAR YEAR (Cummins L9) EPA, OBD and GHG Certified for Calendar Year 2024	0/0	0	\$0.00
12VXV	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel	2/0	2	\$0.00
12VYL	ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use	0/0	0	\$45.00
12VYP	ENGINE CONTROL, REMOTE MOUNTED No Provision for Remote Mounted Engine Control	0/0	0	\$0.00
12WVG	EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood	0/0	0	\$97.00
12WZE	CARB IDLE COMPLIANCE Does Not Comply with California Clean Air Idle Regulations	0/0	0	\$0.00
12XCS	CARB EMISSION WARR COMPLIANCE Does Not Comply with CARB Emission Warranty	0/0	0	\$0.00
13BCS	TRANSMISSION, AUTOMATIC {Allison 3000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway	199/84	283	\$6,476.00
13WAW	OIL COOLER, TRANSMISSION (Modine) Water to Oil Type	25/0	25	\$898.00
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	1/0	1	\$50.00
13WGH	TRANSMISSION DIPSTICK Relocated to Right Side of Transmission	1/0	1	\$61.00
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0	\$203.00

		F/R Wt	Tot Wt	<u>List</u>
Code	<u>Description</u>	(lbs)	(lbs)	(US DOLLAR) \$0.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223	0/0	O	
13WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released	0/0	0	\$0.00
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	0/0	0	\$156.00
13WYU	SHIFT CONTROL PARAMETERS (Allison) 3000 or 4000 Series Transmissions, Performance Programming	0/0	0	\$0.00
13XAM	PTO LOCATION Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission	0/0	0	\$0.00
14ARK	AXLE, REAR, SINGLE {Meritor RS-23-161} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends . Gear Ratio: 5.63	0/252	252	\$1,927.00
14SAL	SUSPENSION, REAR, SINGLE 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs	0/177	177	\$305.00
15924	FUEL TANK STRAPS Bright Finish Stainless Steel	0/0	0	\$260.00
15DYP	DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab	13/4	17	\$89.00
15LNR	FUEL/WATER SEPARATOR (Racor 400 Series) with Primer Pump, Includes Water-in-Fuel Sensor, Mounted on Engine	0/0	0	\$0.00
15SWG	FUEL TANK Top Draw, Polished Aluminum, 26" Dia, 70 US Gal (265L), Mounted Left Side, Under Cab	11/9	20	\$631.00
16030	CAB Conventional, Day Cab	0/0	0	\$0.00
16BAM	AIR CONDITIONER with Integral Heater and Defroster	0/0	0	\$0.00
16GED	GAUGE CLUSTER Base Level; English with English Electronic Speedometer	0/0	0	\$0.00
	Includes : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)			
16GHU	GRAB HANDLE, CAB INTERIOR (2) Safety Yellow	0/0) 0	\$33.00
16HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	1/0) 1	\$48.00
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} Mounted in Instrument Panel	2/0) 2	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0	\$0.00

INTERNATIONAL®

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	<u>List</u> (US DOLLAR)
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	0/0	0	\$0.00
16SEE	GRAB HANDLE, EXTERIOR Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left Side at B-Pillar	3/0	3	\$118.00
16SMN	SEAT, PASSENGER {National} Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl	14/9	23	\$368.00
16SNT	MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Turn Signals, Black Heads and Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width	0/0	0	\$505.00
	Notes : Mirror Dimensions are Rounded to the Nearest 0.5"			
16VKK	CAB INTERIOR TRIM Diamond, for Day Cab	6/1	7	\$548.00
	Includes : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Reading Lights; Integral to Overhead Console, Center Mounted : SUN VISOR (3) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side			
16VLV	MONITOR, TIRE PRESSURE Omit	-9/-2	-11	(\$996.00)
16VSL	WINDSHIELD Heated, Single Piece	0/0	0	\$632.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	3/0	3	\$45.00
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	0/0	0	\$0.00
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0	\$0.00
16XJN	INSTRUMENT PANEL Flat Panel	0/0	0	\$0.00
16XWD	SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights	14/3	17	\$348.00
16XXC	COWL TRAY LID	7/4	. 11	\$200.00
16ZJA	ACCESS, CAB Aluminum, Self-Cleaning, Open and Serrated Design, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab, Extended Cab or Sleeper Cab	-11/-3 ∋	-14	\$777.00
27DWR	WHEELS, FRONT {Accuride 43644} DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	-68/0	-68	\$500.00
28DWR	WHEELS, REAR {Accuride 43644} DUAL DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub Piloted, Flanged Nut, with Steel Hubs	0/-136 -	3 -136	\$1,044.00

<u>Vehicle Specifications</u> 2025 HV507 SFA (HV507)

April 16, 2024

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	<u>List</u> (US DOLLAR)
60AAG	BDY INTG, REMOTE POWER MODULE Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Switch Pack with Latched Switches	0/0	0	\$790.00
7372135425	(4) TIRE, REAR 11R22.5 Load Range G HDL2 DL ECO PLUS (CONTINENTAL), 491 rev/mile, 75 MPH, Drive	0/28	28	(\$332.00)
7382155439	(2) TIRE, FRONT 12R22.5 Load Range H HSR 3 (CONTINENTAL), 484 rev/mile, 75 MPH, All-Position	32/0	32	\$48.00
	Total of Product Features			\$159,143.00
	Services Section:			
40128	WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A	0/0	0	\$0.00
	Total of Service Features			\$0.00
	Total Component Weight:	7693/4517	12210	
	Total List Price Including Options:	(lbs)	(lbs)	\$159,143.00 (US DOLLAR)
		(lbs)	(lbs)	(US DOLLAR)

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

Proposal: 24878-01

INTERNATIONAL®

Financial Summary 2025 HV507 SFA (HV507)

(US DOLLAR)

<u>Description</u>		Price
Factory List Prices:		
Product Items	\$159,143.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$159,143.00
Freight Charge	\$0.00	
Freight	\$3,100.00	
Total Freight:		\$3,100.00
Total Factory List Price Including Freight:		\$162,243.00
Less Customer Allowance:		(\$60,643.00)
Total Vehicle Price:		\$101,600.00
Total Sale Price:		\$101,600.00
Total Per Vehicle Sales Price:		\$101,600.00
Net Sales Price:		\$101,600.00

Priced under ODOT contract 023-24. Payment terms are Net 30 upon bare chassis delivery to customer or their body builder.

Subject to future surcharges to be handled per ODOT contract. Order is accepted based on production availability.

If you need arrangements other than listed above, please contact Ron Huckery at (513) 372-8816 Your signature on this proposal confirms that you have read and agree with all the above terms.

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:	Accepted by Purchaser:
Official Title and Date	Firm or Business Name
Authorized Signature	Authorized Signature and Date
This proposal is not binding upon the seller without Seller's Authorized Signature	
	Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.

SPONSORED BY: FINANCE **DRAFT NO. 67-24** AUTHORIZED BY: ALL MEMBERS ORDINANCE NO. AN ORDINANCE AUTHORIZING THE SERVICE DIRECTOR TO PURCHASE THROUGH SOURCEWELL COOPERATIVE THE 2026 MV607 SBA TRUCK; APPROPRIATING THE NECESSARY FUNDS; AND DECLARING AN EMERGENCY. Whereas, Council desires to authorize purchasing through Sourcewell Cooperative Purchasing for the 2026 MV607 SBA Light Truck. BE IT ORDAINED BY THE COUNCIL OF THE CITY OF NILES, STATE OF OHIO: SECTION 1: That the Service Director is hereby authorized to purchase through Sourcewell the 2026 MV607 SBA truck for the Light Department in the amount of Four Hundred Sixty-Six Thousand Four Hundred Thirty-Eight Dollars and 49/100 (\$466,438.49). SECTION 2: That this Ordinance is hereby declared to be an emergency measure in the interest of the public health, safety, and welfare for the reason that a 2026 MV607 SBA truck for the Light Department can be purchased at the earliest possible date as availability is limited in the current market. As such an emergency measure, this Ordinance shall take effect upon passage by Council and approval by the Mayor. If not so passed as an emergency measure, it shall become effective at the earliest date allowed by law. PRESIDENT OF COUNCIL PASSED: CLERK OF COUNCIL

Filed with the Mayor of the City of Niles, Ohio on the _____ day of ______, 2024 and signed by me as such Mayor on the _____ day of ______, 2024.

MAYOR

DRAFT NO. 67-24 SPONSORED BY: FINANCE AUTHORIZED BY: ALL MEMBERS ORDINANCE NO. ___ AN ORDINANCE AUTHORIZING THE SERVICE DIRECTOR TO PURCHASE THROUGH SOURCEWELL COOPERATIVE THE 2026 MV607 SBA TRUCK; AND DECLARING AN EMERGENCY. Whereas, Council desires to authorize purchasing through Sourcewell Cooperative Purchasing for the 2026 MV607 SBA Light Truck. BE IT ORDAINED BY THE COUNCIL OF THE CITY OF NILES, STATE OF OHIO: SECTION 1: That the Service Director is hereby authorized to purchase through Sourcewell the 2026 MV607 SBA truck for the Light Department in the amount of Four Hundred Sixty-Six Thousand Four Hundred Thirty-Eight Dollars and 49/100 (\$466,438.49). See Exhibit A attached hereto. SECTION 2: That this Ordinance is hereby declared to be an emergency measure in the interest of the public health, safety, and welfare for the reason that a 2026 MV607 SBA truck for the Light Department can be purchased at the earliest possible date as availability is limited in the current market. As such an emergency measure, this Ordinance shall take effect upon passage by Council and approval by the Mayor. If not so passed as an emergency measure, it shall become effective at the earliest date allowed by law. PRESIDENT OF COUNCIL PASSED: CLERK OF COUNCIL Filed with the Mayor of the City of Niles, Ohio on the _____ day of ______, 2024 and signed by me as such Mayor on the _____ day of ______, 2024.

MAYOR

Prepared For:

TEREX - # 15310-01 OPP#260130 CITY OF NILES

OPTIMA HR50

Nathan Weber

3140-15th Ave SE Watertown, SD 57201-

(605)882 - 4000

Reference ID: 15310-01

Presented By: NORTH CENTRAL INTERNATIONAL Robin Kunz 4511 NORTH CLIFF SIOUX FALLS SD 57104 -(605)336-3820

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

NOTE: CHASSIS PRICING IS ESTIMATED FOR MODEL YEAR 2026 / CALENDAR YEAR 2025 ASSEMBLY. PRICING WILL NEED TO BE REVIEWED WHEN RELEASED.

Model Profile 2026 MV607 SBA (MV607)

AXLE CONFIG:

4X2

APPLICATION:

Utility Requested GVWR: 37000. Calc. GVWR: 37000. Calc. GCWR: 80000

MISSION:

Calc. Start / Grade Ability: 28.88% / 2.92% @ 55 MPH Wheelbase: 224.00, CA: 113.00, Axle to Frame: 100.00

DIMENSION:

ENGINE, DIESEL:

(Cummins L9 350) EPA 2024, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM

Governed Speed, 350 Peak HP (Max)

TRANSMISSION, AUTOMATIC:

(Allison 3000 RDS) 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with

PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max,

On/Off Highway

CLUTCH:

Omit Item (Clutch & Control)

{Meritor MFS-14-122A} I-Beam Type, 14,000-lb Capacity

AXLE, FRONT NON-DRIVING: AXLE, REAR, SINGLE:

(Meritor RS-23-160) Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential,

200 Wheel Ends Gear Ratio: 4.89

TIRE, FRONT:

Conventional 6-Man Crew Cab

TIRE, REAR:

(2) 315/80R22.5 Load Range L X MULTI Z (MICHELIN), 487 rev/mile, 75 MPH, All-Position (4) 11R22.5 Load Range G FUEL MAX RTD (GOODYEAR), 495 rev/mile, 75 MPH, Drive

23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs

SUSPENSION, REAR, SINGLE: PAINT:

Cab schematic 100WP

Location 1: 0001, Canyon Black (Std)

Chassis schematic N/A

TEREX®

CUSTOMER ORDER ACKNOWLEDGEMENT

Terex USA, LLC dba Terex Utilities - 3140 15th Avenue SE - Watertown, SD 57201 - Phone: 605-882-4000

Date: 25-MAR-2024

Quote Number: QU32474-TU-V2

Unit: OPTIMA-HRX55DP

Sourcewell Contract Number: 110421-TER

City of Niles 34 W. State St. Niles , OH 44446

Baseline Price:

\$466,438.49

Grand Total Each:

\$466,438,49

This written description and attached specifications have been producted by Terex USA, LLC dba Terex Utilities and shall not be released, disclosed, nor duplicated without the written permission of Terex USA, LLC dba Terex Utilities, Inc.

Prices are subject to change until shipment. Applicable taxes and any applicable surcharges to be added. Taxes, shipping, handling and lead times are estimates and subject to change. Quoted prices are based on total package and subject to change if all items not purchased. All prices quoted are in U.S. dollars unless otherwise specified. Payment by cash or certified check only. Chassis price based off current pricing available at time of quote. Pricing is subject to change based on vehicle sourcing; final price to be confirmed prior to time of invoice. Chassis payment is due within 30 days of chassis receipt at our facility. Quote withdrawn after 60 days.

Please ensure the accuracy of the specifications and drawings you provide. Changes made after receipt of order may incur additional charges. If you are trading equipment in, you warrant that: You have good title to the trade-in; it is free of all liens and encumbrances; all information you have provided related to the trade-in is true and correct.

Terex purchased chassis through Terex preferred International Dealer will include at no additional cost a special tow package for 12 months/unlimited mileage to nearest International Dealership for a warrantable failure. Coverage limited to \$550 per incident. For roadside assistance call 1-800-448-7825.

Terex-purchased chassis through Terex preferred Freightliner Dealer will include at no additional cost a special tow package for 12 months/unlimited mileage/KM extended towing coverage \$550 cap FEX applies. For roadside assistance call 1-800-FTL-HELP.

Notes:

- 1) Delivery Terms are CPT 2020 .
 - Delivery to customer included.
- 2) Payment Terms are Net 30 Pending Approval.
- 3) Delivery days from receipt of order shall be 520-720 Days .

Buyer hereby agrees to purchase the products in this quotation, subject to acceptance by Seller. Buyer has read and agrees to Seller's Terms and Conditions of Sale.

Terex USA, LLC dba Terex Utilities

		Accepted By:	
Project Leader:	Derek Elverud	PO Number:	
	8	Quantity:	
Account Manager:	Charles VanderHorst	Grand Total:	
		Date:	